Author Index

Abumrad, N.N.: *See* Molina, P.E., 207
Agullo, G.: *See* Manach. C., 375
Akachi, T.: *See* Sugiyama, K., 40
Andersen, M.K., Bailey, J.W., Wilken, C., Rule, D.C. Lipoprotein lipase and glycerophosphate acyltransferase in ovine tissues are influenced by growth and energy intake regimen, 610
Andersen, M.K.: *See* Rule, D.C., 577
Angioni, E.: *See* Banni, S., 150
Armand, M.: *See* Pasquier, B., 293
Atkinson, T.G.: *See* Nagy, L.E., 356
Attorri, L.: *See* Salvati, S., 113

Bailey, J.W.: *See* Andersen, M.K., 610
Bailey, J.W.: *See* Rule, D.C., 577
Banni, S., Carta, G., Contini, M.S., Angioni, E., Deiana, M., Dessì, M.A., Melis, M.P., and Corongiu, F.P. Characterization of conjugated diene fatty acids in milk, dairy products, and lamb tissues, 150
Barakat, H.A., Vadlamudi, S., MacLean, P., MacDonald, K., and Pories, W.J. Lipoprotein metabolism in non-insulin-dependent diabetes mellitus, 586
Bardocz, S.: *See* Hajós, G., 481
Bardocz, S.: *See* Pusztai, A., 677
Barry, J.-L.: *See* Pasquier, B., 293
Baskaran, G.: *See* Sumathi, R., 85
Battistini, N.: *See* Virgili, F., 156
Beck, M.A. The role of nutrition in viral disease, 683
Behr, S.R.: *See* Younes, H., 474
Beilin, L.J.: *See* Hodgson, J.M., 664
Beynen, A.C.: *See* Roodenburg, A.J.C., 99
Bhathena, S.J.: *See* Werman, M.J., 118
Blaut, M.: *See* Noack, J., 560
Borel, P.: *See* Pasquier, B., 293
Borges, G.: *See* Carmona, A., 445
Borgudd, L.: *See* Carmona, A, 445
Bougrine, R., Masson, C., Hatier, R., Nexø, E., Nicolas, J.-P., and Gueant, J.-L. Receptor binding of transcobalamin II-cobalamin in human colon adenocarcinoma HT 29 cell line, 397
Bowen, H.T.: *See* Wei, Y., 179
Boxer, R.: *See* Molina, P.E., 207
Brand, M.D.: *See* Lionetti, L., 571
Brash, A.R.: *See* Cockell, K.A., 333
Brown, A.J. Acute effects of smoking cessation on antioxidant status, 29
Buckley, W.T., Vanderpool, R.A., Godfrey, D.V., and Johnson, P.E. Determination, stable isotope enrichment and kinetic of direct-reacting copper in blood plasma, 488
Burdge, G.C., Mander, A., and Postle, A.D. Hepatic and plasma phospholipid molecular species composition in the pregnant guinea pig: Effect of chronic ethanol consumption, 425
Burgess, J.R. and Kuo, C.-F. Increased calcium-independent phospholipase A_2 activity in vitamin E and selenium-deficient rat lung, liver, and spleen cytosol is time-dependent and reversible, 366
Burk, R.F.: *See* Cockell, K.A., 333
Buskin, J.N.: *See* Petrie, L., 670

Calder, P.C.: *See* Jeffery, N.M., 282
Campeggi, L.M.: *See* Salvati, S., 113
Canali, R.: *See* Virgili, F., 156
Carmona, A., Borgudd, L., Borges, G., and Levy-Benshimol, A. Effect of black bean tannins on in vitro carbohydrate digestion and absorption, 445
Carreira, S.M. and Puigserver, A.J. Correlated regulation of the mRNAs encoding secretory trypsin inhibitors and anionic trypsinogen I in the rat pancreas depending on the dietary protein intake, 230
Carroll, K.K.: *See* Kurowska, E.M., 418
Carta, G.: *See* Banni, S., 150
Castelain, C.: *See* Pasquier, B., 293
Castonguay, T.W.: *See* Moshifar, A., 567
Cha, M.C. and Jones, P.J.H. Tissue fatty acid deposition is influenced by interaction of dietary oil source and energy intake level in rats, 650
Chang, T.-Y. and Hu, M.-L. Concentrations and lipid peroxidation in tissues and toxicity of para-aminobenzoic acid fed to rats in drinking water, 408
Chen, M.-C., Song, Y., and Song. W.O. Fetal growth retardation and death in pantothenic acid-deficient rats is due to impaired placental function, 451
Cheng, W.-L., Holmes-McNary, M.Q., Mar, M.-H., Lien, E.L., and Zeisel, S.H. Bioavailability of choline and choline esters from milk in rat pups, 457
Chesters, J.K.: *See* Petrie, L., 670
Choi, S.-W., Shane, B., and Selhub, J. Effect of methotrexate and 5-fluorouracil on de novo thymidylate synthesis in human colon carcinoma cell line, Caco-2, 513
Cockell, K.A., Brash, A.R., and Burk, R.F. Influence of selenium status on activity of phospholipid hydroperoxide glutathione peroxidase in rat liver and testis in comparison with other selenoproteins, 333
Contini, M.S.: *See* Banni, S., 150
Cook, N.C. and Samman, S. Flavonoids—Chemistry, metabolism, cardioprotective effects, and dietary sources, 66
Cormet, E.: *See* Mordrelle, A., 431
Corongiu, F.P.: *See* Banni, S., 150
Coutts, A.G.P.: *See* Morgan, C.J., 339
Croft, K.D.: *See* Hodgson, J.M., 664

Dakshinamoorthy, D.P.: *See* Kumaravelu, P., 23
David, R.: *See* Werman, M.J., 437
Deiana, M.: *See* Banni, S., 150
Demigné, C.: *See* Manach, C., 375
Demigné, C.: *See* Younes, H., 474
Dessì, M.A.: *See* Banni, S., 150
Devaraj, N.S.: *See* Kumaravelu, P., 23
Di Felice, M.: *See* Salvati, S., 113
DiSilvestro, R.A.: *See* Yang, F.L., 196
DuBard, M.B.: *See* Tamura, T., 55
Duguid, T.J.: *See* Hajós, G., 481

Ebihara, K.: *See* Nagata, Y., 303
Eder, K. and Kirchgessner, M. The effect of dietary fat on activities of lipogenic enzymes in liver and adipose tissue of zinc-adequate and zinc-deficient rats, 190

Fan, J.: *See* Molina, P.E., 207
Faus, M.-J.: *See* Suárez, A., 252
Fex, G.A., Larsson, K., and Nilsson-Ehle, I. Serum concentrations of all-*trans* and 13-*cis* retinoic acid and retinol are closely correlated, 162
Ficek, S.J.: *See* Rule, D.C., 577
Fields, M., Lure, M.D., and Lewis, C.G. Effect of saturated versus unsaturated fat on the pathogenesis of copper deficiency in rats, 246
Freeberg, L.E.: *See* Tamura, T., 55
Frey, B.: *See* Herzog, B., 135
Fritsche, K.L. and McGuire, S.O. The adverse effects of an in vivo inflammatory challenge on the vitamin E status of rats is accentuated by fish oil feeding, 623
Fujimori, E.: *See* Vianna de Oliveira, I.M., 93
Fukamizu, Y.: *See* Kobayashi, T., 542
Fürst, P.: *See* Herzog, B., 135

Garcia, M.N., Martinez-Torres, C., Leets, I., Tropper, E., Ramirez, J., and Layrisse, M. Heat treatment on heme iron and iron-containing proteins in meat: Iron absorption in humans from diets containing cooked meat fractions, 49
Gardner, D.S.: *See* Langley-Evans, S.C., 173
Garleb, K.A.: *See* Younes, H., 474
Garrido, G., Guzmán, M., and Odrizola, J.M. Effects of physical training on fatty acid metabolism in liver and skeletal muscle of rats fed four different high-carbohydrate diets, 348
Geilen, C.: *See* Wu, S., 642
Gelato, M.C.: *See* Molina, P.E., 207
Gelencsér, E.: *See* Hajós, G., 481
Gibbons, G.F.: *See* Jeffery, N.M., 282
Gil, A.: *See* Suárez, A., 252
Gilabert, E.R., Ruiz, E., Osorio, C., and Ortega, E. Effect of dietary zinc deficiency on reproductive function in male rats: Biochemical and morphometric parameters, 403
Godfrey, D.V.: *See* Buckley, W.T., 488
Goldenberg, R.L.: *See* Tamura, T., 55
Grant, G.: *See* Hajós, G., 481

Nutritional Biochemistry 7:691–694, 1996

© Elsevier Science Inc. 1996

655 Avenue of the Americas, New York, NY 10010

0955-2863/96/$15.00
PII S0955-2863(96)00166-0

Grant, G.: *See* Pusztai, A., 677
Gregory, J.F., III: *See* Scott, K.C., 261
Gueant, J.-L.: *See* Bougrine, R., 397
Guidry, K.L.: *See* Morris, G.S., 617
Guillon, F.: *See* Pasquier, B., 293
Guzmán, M.: *See* Garrido, G., 348

Hajós, G., Gelencsér, E., Grant, G., Bardocz, S., Sakhri, M., Duguid, T.J., Newman, A.M., and Pusztai, A. Effect of proteolytic modification and methionine enrichment on the nutritional value of soya albumins for rats, 481
Hara, H., Suzuki, K., Kobayashi, S., and Kasai, T. Fermentable property of dietary fiber may not determine cecal and colonic mucsdal growth in fiber-fed rats, 549
Hasten, D.L.: *See* Morris, G.S., 617
Hatier, R.: *See* Bougrine, R., 397
Hayashi, T.: *See* Tsuchiya, H., 237
Hegsted, M.: *See* Morris, G.S., 617
Hendriks, H.: *See* Pusztai, A., 677
Hernández-Triana, M., Kroll, J., Proll, J., Noack, J., and Petzke, K.J. Benzylisothiocyanate (BITC) decreases quality of egg white proteins in rats, 322
Herzog, B., Frey, B., Pogan, K., Stehle, P., and Fürst, P. Invitro peptidase activity of rat mucosa cell fractions against glutamine-containing dipeptides, 135
Hodgson, J.M., Croft, K.D., Puddey, I.B., Mori, T.A., Beilin, L.J. Soybean isoflavonoids and their metabolic products inhibit in vitro lipoprotein oxidation in serum, 664
Holmes-McNary, M.Q.: *See* Chen, W.-L., 457
Howard, T.B., III: *See* Vinson, J.A., 659
Hrboticky, N., Zimmer, B., and Weber, P.C. α-Linolenic acid reduces the lovastatin-induced rise in arachidonic acid and elevates cellular and lipoprotein eicosapentaenoic and docosahexaenoic acid levels in Hep G2 cells, 465
Hu, M.-L.: *See* Chang, T.-Y., 408
Huang, M.-Z.: *See* Kobayashi, T., 542
Hulscher, S.: *See* Pusztai, A., 677
Huneau, J.-F.: *See* Mordrelle, A., 431

Imaizumi, K.: *See* Sato, M., 381
Iossa, S.: *See* Lionetti, L., 571

Jackson, A.A.: *See* Langley-Evans, S.C., 173
Jansen, G.R. Effect of Δ^{22}-5β-taurocholenic acid and dietary fat on hepatic cholesterol and fatty acid in hyperglycemic-obese mice, 106
Jayachandran, M., Jayanthi, B., Sundaravadivel, B., and Panneerselvam, C. Status of lipids, lipid peroxidation, and antioxidant systems with Vitamin C supplementation during aging in rats, 270
Jayanthi, B.: *See* Jayachandran, M., 270
Jeffery, N.M., Yaqoob, P., Wiggins, D., Gibbons, G.F., Newsholme, E.A., and Calder, P.C. Characterization of lipoprotein composition in rats fed different dietary lipids and of the effects of lipoproteins upon lymphocyte proliferation, 282
Jendrasiak, G.L. The hydration of phospholipids and its biological significance, 599
Jeon, I.J.: *See* Yang, L., 214
Johnson, P.E.: *See* Buckley, W.T., 488
Johnston, K.E.: *See* Tamura, T., 55
Jones, P.J.H.: *See* Cha, M.C., 650

Kamara, K.: *See* Moshirfar, A., 567
Kanamori, H.: *See* Sugiyama, K., 40
Kasai, T.: *See* Hara, H., 549
Kasai, T.: *See* Ogo, Y., 77
Kato, N.: *See* Kayashita, J., 555
Kayashita, J., Shimaoka, I., Nakajoh, M., and Kato, N. Feeding of buckwheat protein extract reduces hepatic triglyceride concentration, adipose tissue weight, and hepatic lipogenesis in rats, 555
Kelly, D.: *See* Morgan, C.J., 339
Kimura, Y.: *See* Nagata, Y., 303
King, T.P.: *See* Morgan, C.J., 339
Kipp, D.E.: *See* Pate, S.K., 524
Kirchgessner, M.: *See* Eder, K., 190
Kiriyama, S.: *See* Ogo, Y., 77
Kleessen, B.: *See* Noack, J., 560
Klimis-Tavantizis, D.J.: *See* Taylor, P.N., 392
Kobayashi, S.: *See* Hara, H., 549
Kobayashi, T., Shimizugawa, T., Fukamizu, Y., Huang, M.-Z., Watanabe, S., and Okuyama, H. Assessment of the possible adverse effects of oils enriched with n-3 fatty acids in rats; peroxisomal proliferation, mitochondrial dysfunctions and apoplexy, 542
Kok, W.: *See* Pusztai, A., 677
Koninkx, J.: *See* Pusztai, A., 677
Koo, S.I.: *See* Yang, L., 214
Kroll, J.: *See* Hernández-Triana, M., 322
Kubow, S. The influence of positional distribution of fatty acids in native, interesterified and structure-specific lipids on lipoprotein metabolism and atherogenesis, 530
Kumaravelu, P., Subramaniyam, S., Dakshinamoorthy, D.P., and Devaraj, N.S. The antioxidant effect of eugenol on CC14-induced erythrocyte damage in rats, 23
Kuo, C.-F.: *See* Burgess, J.R., 366
Kurowska, E.M. and Carroll, K.K. LDL versus apolipoprotein B responses to variable proportions of selected amino acids in semipurified diets fed to rabbits and in the media of HepG2 cells, 418

Lairon, D.: *See* Pasquier, B., 293
Lancey, R.W.: *See* Wooten, L., 632
Lang, C.H.: *See* Molina, P.E., 207
Langley-Evans, S.C., Phillips, G.J., Gardner, D.S., and Jackson, A.A. Role of glucocorticoids in programming of maternal diet-induced hypertension in the rat, 173
Larsson, K.: *See* Fex, G.A., 162
Layrisse, M.: Se Garcia, M.N., 49
Leets, I.: *See* Garcia, M.N., 49
Levy-Benshimol: *See* Carmona, A., 445
Lewis, C.G.: *See* Fields, M., 246
Liang, Y.B.: *See* Rule, D.C., 142
Liebman, M.: *See* Rule, D.C., 142
Lien, E.L.: *See* Cheng, W.-L., 457
Lietzow, M.: *See* Wooten, L., 632
Lin, C.Y.: *See* Morel, D.W., 495
Linder, M.C.: *See* Wooten, L., 632
Lionetti, L., Iossa, S., Brand, M.D., and Liverini, G. The mechanism of stimulation of respiration in isolated hepatocytes from rats fed an energy-dense diet, 571
Liverini, G.: *See* Lionetti, L., 571
Lorenz, A.: *See* Noack, J., 560
Lukert, B.P.: *See* Pate, S.K., 524
Lure, M.D.: *See* Fields, M., 246

MacDonald, K.: *See* Barakat, H.A., 586
MacLean, P.: *See* Barakat, H.A., 586
Manach, C., Texier, O., Régeřat, F., Agullo, G., Demigné, C., and Rémésy, C. Dietary quercetin is recovered in rat plasma as conjugated derivatives of isorhamnetin and quercetin, 375
Mander, A.: *See* Burdge, G.C., 425
Mar, M.-H.: *See* Cheng, W.-L., 457
Marks, S.L., Rogers, Q.R., and Morris, J.G. Quantitative excretion of 3-methylhistidine in urine of cats as a measure of in vivo skeletal muscle protein catabolism, 60
Martinez-Torres, C.: *See* Garcia, M.N., 49
Masson, C.: *See* Bougrine, R., 397
Matsui-Yuasa, I.: *See* Nakatani, T., 386
McCormick, D.B.: *See* Zempleni, J., 518
McFadyen, M.C.: *See* Morgan, C.J., 339
McGuire, S.O.: *See* Fritsche, K.L., 623
McMartin, K.E.: *See* Morshed, K.M., 276
Meckling-Gill, K.A.: *See* Nagy, L.E., 356
Melis, M.P.: *See* Banni, S., 150
Mock, D.M.: *See* Zempleni, J., 518
Molina, P.E., Fan, J., Boxer, R., Gelato, M.C., Lang, C.H., and Abumrad, N.N. Modulation of insulin-like growth factor-I: a specific role for vitamin B1 (thiamine), 207
Mordrelle, A., Huneau, J.-F., Cormet, E., and Tomé, D.: Involvement of system A in proline transport in the intestinal crypt-like cell line IEC-17, 431
Morel, D.W. and Lin, C.Y. Cellular biochemistry of oxysterols derived from the diet or oxidation in vivo, 495
Morgan, C.J., Coutts, A.G.P., McFadyen, M.C., King, T.P., and Kelly, D. Characterization of IGF-I receptors in the procine small intestine during postnatal development, 339
Mori, T.A.: *See* Hodgson, J.M., 664
Morris, G.S., Hasten, D.L., Hegsted, M., and Guidry, K.L. Chromium picolinate supplementation improves cardiac metabolism, but not myosin isoenzyme distribution in the diabetic heart, 617

Morris, J.G.: *See* Marks, S.L., 60
Morshed, K.M. and McMartin, K.E. In vitro characterization of renal reabsorption and secretion of folate using primary cultures of human kidney cells, 276
Moshirfar, A., Kamara, K., and Castonguay, T.W. Intragastrically administered tryptophan blocks gluconeogenesis in 48-hr starved rats, 567
Murase, M.: *See* Nagata, Y., 303

Nagao, K.: *See* Sato, M., 381
Nagata, Y., Murase, M., Kimura, Y., and Ebihara, K. Effect of guar gum on glucose metabolism in cecectomized rats, 303
Naghii, M.R. and Samman, S. The effect of boron supplementation on the distribution of boron in selected tissues and on testosterone synthesis in rats, 507
Nagy, L.E., Atkinson, T.G., and Meckling-Gill, K.A. Feeding docosahexaenoic acid impairs hormonal control of glucose transport in rat adipocytes, 356
Nakajoh, M.: *See* Kayashita, J., 555
Nakatani, T., Ohtani, K., Yano, Y., Otani, S., and Matsui-Yuasa, I. The requirement of Zn^{2+} for Newman, A.M.: *See* Hajós, G., 481
Newsholme, E.A.: *See* Jeffery, N.M., 282
Nexø, E.: *See* Bougrine, R., 397
Nicolas, J.-P.: *See* Bougrine, R., 397
Nilsson, Å.: *See* Xu, N., 16
Nilsson-Ehle, I.: *See* Fex, G.A., 162
Noack, J., Kleessen, B., Lorenz, A., and Blaut, M. The effect of alimentary polyamine depletion on germ-free and conventional rats, 560
Noack, J.: *See* Hernández-Triana, M., 322

Odriozola, J.M.: *See* Garrido, G., 348
Ogawa, H.: *See* Sato, M., 381
Ogo, Y., Kasai, T., and Kiriyama, S. Vitamin E prevents the elevation of thiobarbituric acid-reactive substances but not hemolytic anemia in rats fed excess methionine, 77
Ohtani, K.: *See* Nakatani, T., 386
Okuyama, H.: *See* Kobayashi, T., 542
Omaye, S.T.: *See* Wei, Y., 179
Ong, D.E.: *See* Wardlaw, S.A., 222
Orfanos, C.E.: *See* Wu, S., 642
Ortega, E.: *See* Gilabert, E.R., 403
Osorio, C.: *See* Gilabert, E.R., 403
Ota, R.B.: *See* Wei, Y., 179
Otani, S.: *See* Nakatani, T., 386

Panneerselvam, C.: *See* Jayachandran, M., 270
Pasquier, B., Armand, M., Guillon, F., Castelain, C., Borel, P., Barry, J.-L., Pieroni, G., and Lairon, D. Viscous soluble dietary fibers alter emulsification and lipolysis of triacylglycerols in duodenal medium in vitro, 293
Pate, S.K., Lukert, B.P., and Kipp, D.E. Tissue vitamin C levels of guinea pig offspring are influenced by maternal vitamin C intake during pregnancy, 524
Patterson, H.H.: *See* Taylor, P.N., 392
Petrie, L., Buskin, J.N., and Chesters, J.K. Zinc and the initiation of myoblast differentiation, 670
Petzke, K.J.: *See* Hernández-Triana, M., 322
Peumans, W.J.: *See* Pusztai, A., 677
Phillips, G.J.: *See* Langley-Evans, S.C., 173
Pieroni, G.: *See* Pasquier, B., 293
Pintor, A.: *See* Salvati, S., 113
Pogan, K.: *See* Herzog, B., 135
Pories, W.J.: *See* Barakat, H.A., 586
Postle, A.D.: *See* Burdge, G.C., 425
Proll, J.: *See* Hernández-Triana, M., 322
Puddey, I.B.: *See* Hodgson, J.M., 664
Puigserver, A.J.: *See* Carreira, S.M., 230
Pusztai, A., Koninkx, J., Hendriks, H., Kok, W., Hulscher, S., Van Damme, E.J.M., Peumans, W.J., Grant, G., and Bardocz, S. Effect jof the insecticidal *Galanthus nivalis* agglutinin on metabolism and the activities of brush border enzymes in the rat small intestine, 677
Pusztai, A.: *See* Hajós, G., 481

Ramirez, J.: *See* Garcia, M.N., 49
Régérat, F.: *See* Manach, C., 375
Rémésy, C.: *See* Manach, C., 375
Rémésy, C.: *See* Younes, H., 474
Reeves, P.G. Copper status of adult male rats is not affected by feeding an AIN-93G-based diet containing high concentrations of zinc, 166
Reeves, P.G. and Rossow, K.L. Zinc-and/or cadmium-induced intestinal metallothionein and copper metabolism in adult rats, 128
Rogers, Q.R.: *See* Marks, S.L., 60
Roodenburg, A.J.C., West, C.E., and Beynen, A.C. Vitamin A status affects the efficacy of iron repletion in rats with mild iron deficiency, 99
Rossow, K.L.: *See* Reeves, P.G., 128
Ruiz, E.: *See* Gilabert, E.R., 403
Rule, D.C., Andersen, M.K., Bailey, J.W., Swain, L., Ficek, S.J., and Thomas, D.P. Frozen storage of ovine and rat tissues adversely affects lipoprotein lipase activity, 577
Rule, D.C., Liebman, M., and Liang, Y.B. Impact of different dietary fatty acids on plasma and liver lipids is influenced by dietary cholesterol in rats, 142
Rule, D.C.: *See* Andersen, M.K., 610

Sakhri, M.: *See* Hajós, G., 481
Sakono, M.: *See* Sato, M., 381
Salvati, S., Attorri, L., Di Felice, M., Campeggi, L.M., Pintor, A., Tiburzi, F., and Tomassi, G. Effect of dietary oils on brain enzymatic activites (2′-3′-cyclic nucleotide 3′-phosphodiesterase and acetylcholinesterase) and muscarinic receptor sites in growing rats, 113
Samman, S.: *See* Cook, N.C., 66
Samman, S.: *See* Naghii, M.R., 507
Sato, M., Nagao, K., Sakono, M., Ogawa, H., Yamamoto, K., and Imaizumi, K. Low protein diets posttranscriptionally repress apolipoprotein B expression in rat liver, 381
Schulze, R.A.: *See* Wooten, L., 632
Scott, K.C. and Gregory, J.F., III. The fate of [^{3}H]folic acid in folate-adequate rats, 261
Selhub, J.: *See* Choi, S.-W., 513
Shane, B.: *See* Choi, S.-W., 513
Shimaoka, I.: *See* Kayashita, J., 555
Shimizugawa, T.: *See* Kobayashi, T., 542
Sidransky, H. and Verney, E. Influence of L-alanine on effects induced by L-tryptophan on rat liver, 200
Smith, C.M. and Song, W.O. Comparative nutrition of pantothenic acid, 312
Song, W. O.: *See* Chen, M.-C., 451
Song, W.O.: *See* Smith, C.M., 312
Song, Y.: *See* Chen, M.-C., 451
Stehle, P.: *See* Herzog, B., 135
Stratton, S.L.: *See* Zempleni, J., 518
Suárez, A., Faus, M.-J., and Gil, A. Dietary supplementation with long-chain polyunsaturated fatty acids increases susceptibility of weanling rat tissue lipids to in vitro lipid peroxidation, 252
Subramaniyam, S.: *See* Kumaravelu, P., 23
Sugiyama, K., Kanamori, H., Akachi, T., and Yamakawa, A. Amino acid composition of dietary proteins affects plasma cholesterol concentration through alteration of hepatic phospholipid metabolism in rats fed a cholesterol-free diet, 40
Sumathi, R., Baskaran, G., and Varalakshmi, P. Effect of DL α-lipoic acid on tissue redox state in acute cadminum-challenged tissues, 85
Sundarvadivel, B.: *See* Jayachandran, M., 270
Suzuki, K.: *See* Hara, H., 549
Swain, L.: *See* Rule, D.C., 577

Tamura, T., Goldenberg, R.L., Johnston, K.E., Freeberg, L.E., DuBard, M.B., and Thomas, E.A. In vitro zinc stimulation of angiotensin-converting enzyme activities in human plasma, 55
Taylor, P.N., Patterson, H.H., and Klimis-Tavantzis, D.J. Manganese deficiency alters high-density lipoprotein subclass structure in the Sprague-Dawley rat, 392
Tebbe, B.: *See* Wu, S., 642
Texier, O.: *See* Manach, C., 375
the increase in ornithine decarboxylase induced by insulin and epidermal growth factor in primary cultured rat hepatocytes, 386
Thomas, D.P.: *See* Rule, D.C., 577
Thomas, E.A.: *See* Tamura, T., 55
Tiburzi, F.: *See* Salvati, S., 113
Todoriki, H.: *See* Tsuchiya, H., 237
Tomasi, A.: *See* Virgili, F., 156
Tomassi, G.: *See* Salvati, S., 113
Tomé, D.: *See* Mordrelle, A., 431

Tropper, E.: *See* Garcia, M.N., 49
Tsuchiya, H., Yamada, K., Todoriki, H., and Hayashi, T. Urinary excretion of tetrahydro-β-carbolines influenced by food and beverage ingestion implies their exogenous supply via dietary sources, 237

Vadlamudi, S.: *See* Barakat, H.A., 586
Van Damme, E.J.M.: *See* Pusztai, A., 677
Vanderpool, R.A.: *See* Buckley, W.T., 488
Vannini, V.: *See* Virgili, F., 156
Varalakshmi, P.: *See* Sumathi, R., 85
Verney, E.: *See* Sidransky, H., 200
Vianna de Oliveira, I.M. and Fujimori, E. Liver gamma-glutamyltranspeptidase activity and glutathione levels in lactating rats and pups: Effect of dietary protein quantity and feed intake, 93
Vinson, J.A. and Howard, T.B., III Inhibition of protein glycation and advanced glycation end products by ascorbic acid and other vitamins and nutrients, 659
Virgili, F., Battistini, N., Canali, R., Vannini, V., and Tomasi, A. High glucose-induced membrane lipid peroxidation on intact erythrocytes and on isolated erythrocyte membrane (ghosts), 156

Wardlaw, S.A. and Ong, D.E. Characterization of the microsomal and partially purified retinal reductase of rat small intestine, 222
Watanabe, S.: *See* Kobayashi, T., 542
Weber, P.C.: *See* Hrboticky, N., 465
Wei, Y., Ota, R.B., Bowen, H.T., and Omaye, S.T. Determination of human plasma and leukocyte ascorbic acid by microtiter plate assay, 179
Werman, M.J. and Bhathena, S.J. Effects of changes in dietary energy density and the amount of fructose on indices of copper status and metabolic parameters in male rats, 118
Werman, M.J. and David, R. Lysyl oxidase activity, collagen cross-links and connective tissue ultrastructure in the heart of copper-deficient male rats, 437
West, C.E.: *See* Roodenburg, A.J.C., 99
Wiggins, D.: *See* Jeffery, N.M., 282
Wilken, C.: *See* Andersen, M.K., 610
Wiseman, H. Dietary influences on membrane function: Improtance in protection against oxidative damage and disease, 2
Wooten, L., Schulze, R.A., Lancey, R.W., Lietzow, M., and Linder, M.C. Ceruloplasmin is found in milk and amniotic fluid and may have a nutritional role, 632
Wu, S., Geilen, C., Tebbe, B., and Orfanos, C.E. 1α,25-Dihydroxyvitamin D_3; its role for homeostasis of keratinocytes, 642

Xu, N. and Nilsson, Å. Uptake and interconversion of plasma unesterified ^{14}C linoleic acid by gastrointestinal tract and blood forming tissues: An experimental study in the rat, 16

Yamada, K.: *See* Tsuchiya, H., 237
Yamakawa, A.: *See* Sugiyama, K., 40
Yamamoto, K.: *See* Sato, M., 381
Yang, F.L. and DiSilvestro, R.A. Effects of dietary zinc restriction on bismuth induction of rat kidney metallothionein, 196
Yang, L., Koo, S.I., and Jeon, I.J. The lymphatic absorption of fatty acids and output of phospholipids are lowered by estrogen replacement in ovariectomized rats, 214
Yano, Y.: *See* Nakatani, T., 386
Yaqoob, P.: *See* Jeffery, N.M., 282
Younes, H., Demigné, C., Behr, S.R., Garleb, K.A., and Rémésy, C. A blend of dietary fibers increases urea disposal in the large intestine and lowers urinary nitrogen excretion in rats fed a low protein diet, 474

Zeisel, S. H.: *See* Cheng, W.-L., 457
Zempleni, J., McCormick, D.B., Stratton, S.L., and Mock, D.M. Lipoic acid (thioctic acid) analogs, tryptophan analogs, and urea do not interfere with the assay of biotin and biotin metabolites by high-performance liquid chromatography/avidin-binding assay, 518
Zimmer, B.: *See* Hrboticky, N., 465

Subject Index

A reductase inhibitor, 465
Absorption, 128, 166
AChE activity, 113
Adipose tissue, 190, 577
Adipose, 650
Adiposetissue, 610
Adrenalectomy, 567
Advanced glycation end products, 659
African Americans, 55
Aging, 270
Albumin, 375
α-linolenic acid, 465
Amino acids, 166
Amniotic fluid, 632
Angiotensin-converting enzyme, 55
Animal nutrition, 312
Antioxidant defense, 252
Antioxidants, 23, 85, 179, 270, 664
Antioxidizing enzymes, 85
Apoplexy, 542
Apoprotein B, 418
Apoprotein mRNA, 381
Apoptosis, 642
Arachidonic acid, 16, 465
Ascorbate, 29
Ascorbic acid, 179, 270, 659
Atherosclerosis, 495, 530, 586
Avidin-binding assay, 518

β-adrenergic receptor, 356
Basolateral membrane, 135
Beef tallow, 246
Beverage, 237
Bile acids, 106
Biotin, 518
Bioutilization, 322
Bismuth, 196
Black beans, 445
Bone marrow, 16
Boron, 507
Bound water, 599
Bovine, 488
Brain, 252
Buckwheat, 555

Caco-2, 513
Cadmium chloride, 85
Cadmium, 128
Cancer, 2, 495
Cardiac contractility, 617
Cardiac metabolism, 617
Cardiovascular disease, 2
Carotenes, 29
Cats, 60
CC14, 23
Cecetomy, 303
Cell membrane, 495
Cellular glutathione peroxidase, 333
Ceruloplasmin, 632
Chemical structure, 66
Cholesterol metabolism, 495
Cholesterol, 106, 142, 214, 530
Choline, 451
Chromium picolinate, 617
Chylomicron, 530
Cigarette smoking, 29
CNPase activity, 113
CoA growth, 451
Cobalamin, 397
Collagen, 437
Colon adenocarcinoma, 397
Colon cancer, 513
Conjugated diene fatty acids, 150
Connective tissue, 437
Conventional rat, 560
Copper deficiency, 118, 437
Copper, 128, 166, 246, 632
Corn oil, 246
Coronary heart disease, 66
Corticosterone, 207
CRBP II, 222
CRBP, 222
Cross-links, 437
Cysteine, 49
Cytochrome c oxidase, 542

Deoxyuridine suppression test, 513
Development, 451
Diabetes, 356, 586, 617
Diet, 66, 530, 560
Dietary amino acid, 418
Dietary antioxidants, 2
Dietary fat, 650
Dietary fiber, 474, 549
Dietary lipids, 282
Dietary membrane-modulators, 2
Dietary polyunsaturated fatty acids, 113
Dietary proteins, 40, 322, 474
Dietary sources, 237
Dietary zinc deficiency, 403
Diethylenetriamine penta-acetic acid, 386
Differentiation, 431, 670
Digestion, 677
Dipeptide, 135
Direct reacting copper, 488
Disaccharidases, 445
DL α-lipoic acid, 85
Docosahexaenoic acid, 356, 425

Emulsion, 293
Endurance exercise, 348
Energy restriction, 650
Energy, 118
Energy-dense diet, 571
Enzymatic modification, 481
Epidermal growth factor, 386
Epithelial cell line, 431
Erythrocyte membrane oxidation, 156
Erythrocytes, 23, 77, 156
Estradiol, 214
Ethanol, 425
Ethanolamine, 40
Eugenol, 23
Exchangeable copper, 488
Expression of apoprotein gene, 381
Extracellular glutathione peroxidase, 333

Fat, 555
Fatty acid deposition, 650
Fatty acid oxidation, 348
Fatty acid synthesis, 348
Fatty acids, 142, 214, 530
Feline, 60
Fetal alcohol syndrome, 425
Fetal development, 524
Fibers, 293
5-FU, 513
Fish oil, 282, 356, 542, 623
Flavonoids, 66
Fluorescence polarization, 392
Fluorescence quenching, 392
Folate binding protein, 276
Folate excretion, 276
Folate transport, 276
Folate, 261
Food restriction, 93
Food, 237
Force-feeding, 190
Frozen, 577
Fructose, 118, 246
FSH, 403

Gamma-tocopherol, 29
Gene expression, 230
Germ-free rat, 560
Gestation, 327
Glucocorticoids, 173, 567
Gluconeogenesis, 567
Glucose absorption, 445
Glucose autoxidation, 156
Glucose, 303
Glucosinolates, 322
Glutamine, 135
Glycation, 659
Glycerophosphate acyltransferase, 610
Glycerophosphocholine, 451
GNA, 677
Gonadotrophin hormones, 507
GPT, 408
Growth hormone, 207
Growth, 207
Guar gum, 293, 303
Guinea pig, 425, 524
Gum arabic, 293
Gut maturation, 677

[^{3}H]deoxyuridine incorporation into DNA, 513
HDL, 586
HDL1, 392
HDL2, 392
Heart, 437, 577, 650
Heme iron, 49
Hemolytic anemia, 77
Hep G2 cells, 465
Hepatocytes, 386, 571
HepG2 cells, 418
High fat diets, 356
High-performance liquid chromatography, 518

Nutritional Biochemistry 7:695–697, 1996

© Elsevier Science Inc. 1996

655 Avenue of the Americas, New York, NY 10010

0955-2863/96/$15.00
PII S0955-2863(96)00167-2

HPLC, 150
HT 29 cell line, 397
Humans, 49, 55, 488
Hypertension, 173

IGF binding proteins, 207
IGF-I, 207, 339
Immune cells, 623
Immunity, 327
In vitro stimulation, 55
Infant formula, 451
Inflammation, 162, 623
Insulin resistance, 586
Insulin, 207, 356, 386
Intestinal microflora, 560
Intestine, 128, 339
Intrauterine programming, 173
Intubation, 451
Iron absorption, 49
Iron deficiency, 99
Iron metabolism, 99
Iron repletion, 99
Isoflavonoids, 664
Isorhamnetin, 375
Isothiocyanates, 322

Keratinocyte, 642
Kidney, 128, 196

Lactation, 93
L-alanine, 200
Lambs, 150
Large intestine, 549
LDL, 586
Lectin content, 481
Leukocyte, 179
LH, 403
Linoleic acid, 16, 106, 214
Lipid peroxidation, 23, 29, 85, 252, 270, 408
Lipids, 142
Lipogenesis, 555
Lipogenic enzymes, 190
Lipoic acid, 518
Lipoprotein lipase, 577, 610
Lipoprotein oxidation, 664
Lipoproteins, 282, 465, 586
Liver gamma-glutamyltranspeptidase, 93
Liver glutahione, 93
Liver, 128, 142, 190, 252, 333, 348, 610, 650
Long-chain polyunsaturated fatty acids, 252
Low density lipoprotein, 66
Low protein diet, 381
Low-density lipoprotein particles, 2
L-tryptophan, 200
Lung, 366
Lymphatic absorption, 214
Lymphocyte proliferation, 282
Lysine, 322
Lysyl oxidase, 437

Magnesium deficiency, 327
Male rat, 118
Male rats, 403
Malnutrition, 683
Malondialdehyde, 366
Manganese, 392
Maternal diet, 173
Meat protein, 49
Metabolism, 66, 261, 375
Metallothionein, 128, 196
Methionine enrichment, 481
Methionine toxicity, 77
Methionine, 40
Methotrexate, 513
Mice, 106
Microtiter, 179
Microvillar, 339
Milk, 150, 451, 632
mRNA, 230
Mucosa, 135, 549
Muscarinic receptors, 113
Muscle degradation, 60
Muscle, 610
Myoblasts, 670
MyoD, 670
Myogenin, 670
Myosin, 617

Neonatal, 339
Newborns, 327
Nitrogen excretion, 474
Non-ceruloplasmin Cu, 488
Nuclear binding, 200
Nutrient deficiency, 683
Nutrient status, 166
Nutrients, 659
Nutritional value, 481

Obesity, 106
Ornithine decarboxylase, 386
Ovine, 577, 610
Oxidation, 66
Oxidative membrane damage, 2
Oxidized low density-lipoprotein, 29
Oxygen consumption, 571
Oxysterols, 495

Pancreas, 230
Pancreatic lipase, 293
Pantothenic acid, 312, 451
Para-aminobenzoic acid, 408
Pectin, 293
PEP, 567
PEPCK, 567
Peptidase, 135
Perilla oil, 542
Perinatal nutrition, 632
Peroxisomes, 542
PHA/phytohaemagglutinin, 677
Phaseolus vulgaris, 445
Phosphatidylcholine, 451
Phosphatidylethanolamine N-methylation, 40
Phosphocholine, 451
Phospholipase A2, 366
Phospholipid bilayer surfaces, 599
Phospholipid headgroup interactions, 599
Phospholipid hydration, 599
Phospholipid hydroperoxide glutathione peroxidase, 333
Phospholipid metabolism, 40
Phospholipid, 214
Phospholipids, 425
Phosphorylation, 339
Plasma cholesterol, 40
Plasma GOT, 408
Plasma, 55, 142
Platelet aggregation, 66
Polyamine, 560
Positional distribution, 530
Pregnancy, 55, 425, 524
Proline, 431
Protein deficiency, 93
Protein quality, 322
Protein synthesis, 200
Protein, 555
Protein-calorie malnutrition, 93
Protein-free diet, 230
Protein-rich diet, 230

Quecetin, 375

Rabbits, 418
Rat brain, 113
Rats, 77, 99, 128, 142, 166, 173, 190, 196, 207, 261, 327, 333, 375, 451, 474, 507, 542, 549, 555, 577, 623, 650
Receptor mediated endocytosis, 397
Receptors, 339
Reductase, 222
Renal cell culture, 276
Retinaldehyde, 222
Retinoic acid, 162
Retinol, 162, 222

Second derivative UV spectrophotometry, 150
Secretory trypsin inhibitor, 230
Selenium, 333, 366
Selenoprotein P, 333
Seminiferous tubule, 403
Short-chain fatty acid, 303
Signal transduction, 642
Skeletal muscle, 348
Small intestine, 16
Soya albumin, 481
Soybeans, 664
Spleen, 16
Stable isotope dilution analysis, 488
Starch, 246
Stomach, 16
Superoxide dismutase, 118
System A, 431

Tannins, 445
Taurocholenic acid, 106
Terminal differentiation, 642
Testis, 333
Testosterone, 403, 507
Tetrahydro-β-carbolines, 237
Thiamine deficinecy, 207
3-hydroxy-3-methyl coenzyme, 465
3-methylhistidine, 60
Thymidylate synthesis, 513
Tissue content, 408
Tisue concentrations, 507
Top-down elasticity analysis, 571
Toxicity, 408
*Trans*fatty acids, 150
Transcovabalamin, 397
Transgenic plants, 677
Transport, 431

Triacylglycerol, 530
Triglycerides, 293
Trypsin inhibitor activity, 481
Trypsin, 230
Tryptophan, 518, 567

Ultratrace elements, 166
Urea, 474, 518
Urinary excretion, 237

Viatmin E, 366
Viral infection, 683
Virus, 683
Vitamin A deficiency, 99
Vitamin A, 222
Vitamin B 12, 397
Vitamin C, 179, 524
Vitamin D3, 642
Vitamin E supplementation, 77
Vitamin E, 623
Vitamins, 659
VLDL, 586

ω3 fatty acids, 465
Weanling rats, 252

Zinc deficiency, 190, 327
Zinc, 55, 128, 166, 196, 386, 670